TE Internal #: 2170231-1

Card Edge Power Connectors, Board-to-Board, 40 Position, 8.24 mm / 6.84 mm [.324 in / .27 in] Centerline, Power & Signal, 16 Power Positions

View on TE.com >



Connectors > PCB Connectors > Card Edge Connectors > Card Edge Power Connectors











Connector System: Board-to-Board

Number of Positions: 40

Centerline (Pitch): 6.84 mm, 8.24 mm [.27 in, .324 in]

Contact Current Rating (Max): 15 A
Circuit Application: Power & Signal

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Connector System	Board-to-Board
Configuration Features	
PCB Mount Orientation	Vertical
Number of Positions	40
Number of Power Positions	16
Number of Signal Positions	24
Number of Dual Positions	8
Electrical Characteristics	
Operating Voltage	300 V
Body Features	
Primary Product Color	Black

.76 μm[30 μin]

Contact Features

Contact Mating Area Plating Material Thickness



Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	15 A
Contact Mating Area Plating Material	Gold
Termination Features	
Termination Post & Tail Length	3.5 mm[.138 in]
Termination Method to Printed Circuit Board	Through Hole - Press-Fit
Mechanical Attachment	
PCB Mount Retention	With
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	Polyester GF
Centerline (Pitch)	6.84 mm, 8.24 mm[.27 in][.324 in]
Dimensions	
Power Contact Centerline	2 mm[.078 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Other	
Position Locations Omitted	0

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240)



Candidate List Declared Against: JAN 2024
(240)
Does not contain REACH SVHC

Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought













TE Part #1892200-5 MBXLE R/A HDR 2P+24S+2P solder

TE Part #796136-3 ASSY, SMT BATTERY CONN TE Part #2170184-2 20 POS SMT CONN, SFP+, 30A

TE Part #2301545-1
ZSFP+ CONNECTOR,30U" FOR HW

TE Part #2378330-1 04052304, LPSS 8X STR TO STR

Documents

Product Drawings

Hybrid Card Edge Power Connect

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2170231-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2170231-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2170231-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English